CAUTION

Harmful if swallowed. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Causes severe skin burns and eye damage. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. May cause damage to organs through prolonged or repeated exposure. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Toxic to aquatic life with long lasting effects. Avoid release to the environment.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia: 13 11 26; New Zealand 0800 764 766.

IN AN EMERGENCY DIAL 000

POLICE OR FIRE BRIGADE

CROP SMART PTY LTD
EMERGENCY 1300 783 481
AUSTRALIA WIDE, 24 HOURS

Scan QR Code to access SDS on mobile device



Batch Number:

Date of Manufacture:

CONDITIONS OF SALE

Crop Smart Pty Ltd ("Crop Smart") shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever, or howsoever arising through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express conditions that the purchaser does not rely on Crop Smart's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Crop Smart has any authority to alter these conditions.

Crop Smart Pty. Ltd

ABN 28 093 927 961 2409/4 Daydream Street, Warriewood NSW 2102 Tel: 1300 783 481 Fax: 1300 783 491

DANGERKEEP OUT OF REACH OF CHILDREN

Seed Razor



APPLICATION RATES

Broadacre Crops	Tree Crop / Vegetables / Vines
Cereals 4-5L per tonne with 2-3L of water or pickle Legume Crops 2-3L per tonne with 2-3L of water or pickle	Foliar and Fertigation 5-10L per hectare with a minimum 20:1 (water:fertiliser) dilution (5L fertiliser with 100L water)
Canola 10L per tonne with 2-3L of water or pickle	
In crop	
Foliar 1-4L per application on all broad acre crops	
Infurrow 3-8L	
Aerial Application 1-3L in 30L water	

Store out of direct sunlight and mix well prior to use.

Foliar fertilisers work best when applied in cool dry conditions. Do not apply as a foliar when temperatures exceed 25 degrees Celsius. Do not apply as a foliar fertiliser if crop is more than 20% flowering.

COMPATIBILITY

Smart Select Seed Razor is compatible with most agricultural chemicals and fertilisers. Do not mix with Amine herbicides and Calcium containing products. When mixing, always test for compatibility with a small quantity first and only mix enough for one application. Do not store the mixed product. Do not mix with inoculants and alkaline products.

WARNING

Excessive use of molybdenum (Mo) can be harmful to stock. Plant levels of Mo can be high for 4 weeks after application. It is advisable to keep stock off treated areas for this period. Molybdenum application may induce copper deficiency in grazing animals. This is most likely to occur on sandy soils low in copper. Check rate and frequency of molybdenum use with appropriate authorities.

CONTENTS: 1000 Litres