## DANGER

#### HARMFUL IF SWALLOWED. CAUSES SERIOUS EYE DAMAGE.

Do not get in eyes, on skin or on clothing. Wash contacted areas thoroughly after handling. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Immediately call a POSION CENTRE on 13 11 26 or doctor. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POSION CENTRE on 13 11 26 or doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. See SDS for additional information.

IN AN EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE

CROP SMART PTY LTD
EMERGENCY 1300 783 481
AUSTRALIA WIDE, 24 HOURS

Batch Number:

Date of Manufacture:

Scan QR Code to access SDS on mobile device



# Crop Smart Pty. Ltd

ABN 28 093 927 961 2409/4 Daydream Street, Warriewood NSW 2102 Tel: 1300 783 481

### **CONDITIONS OF SALE**

Crop Smart Pty Ltd ("Crop Smart") and Bowa Organics Pty Ltd ("Kemgro") shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever, or howsoever arising through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express conditions that the purchaser does not rely on Crop Smart or Kemgro's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Crop Smart or Kemgro has any authority to alter these conditions.



## DIRECTIONS FOR USE

Agitate well before use. Always use diluted and do not exceed recommended rate per hectare.

## APPLICATION RATES

Broadacre: Use at least 80L /ha of water.

CROP	RATE/HA	APPLICATION RATES AND TIMING
Cereals	1-3L/ha	Apply at 3-4 leaf stage
Legumes	1-3L/ha	Apply when sufficient foliage is present. Spray as required.
Pasture	2-3L/ha	Apply when sufficient foliage is present. Spray as required.
Lucerne	3-4L/ha	Apply when sufficient foliage is present. Spray as required.
Seeding in furrow	3-7L/ha	Apply at planting
Seed Dressing	5-6Lha	Apply 5-6 litres per tonne of seed.

Frequencies and rates are guidelines only.

# Store out of direct sunlight and mix well prior to use.

Foliar fertilisers work best when applied in cool dry conditions. Do not apply as a foliar when temperatures exceed 25 degrees Celsius. Do not apply as a foliar fertiliser if crop is more than 20% flowering.

TYPICAL ANALYSIS	AMOUNT
PH	4.7 units
Specific gravity	1.37 units
Filtered	100 microns

# COMPATIBILITY

Smart Select Zinc 16% is compatible with most agricultural chemicals and fertilisers. Do not mix with Amine herbicides and Calcium containing products. When mixing, always test for compatibility with a small quantity first and only mix enough for one application. Do not store the mixed product. Do not mix with inoculants and alkaline products.

### **CROP SAFETY**

Always test the rate to be applied on a small trial area before using on large areas. Always jar test before mixing with other products to check compatibility. If fallout occurs do not continue. Always ensure spraying conditions are suitable i.e. humidity, wind speed, temperature, prior to application.

# STORAGE - KEEP OUT OF REACH OF CHILDREN

Store in a closed, original container and well ventilated area, keep cool and out of direct sunlight. Clean equipment thoroughly after use.

**CONTENTS: 1000L**